

PRODUCT CATALOGUE

CONWOOD

Forwarding Nature-Centric Living



Forwarding Nature-Centric Living



BEAUTY



TOUCH



PERFORMANCE



EASE



SAFETY

Five Senses of Conwood

Experience the true beauty of nature through all spaces and get your excitement every day in your own home with Conwood

Conwood Profile

Eaves and Ceiling Applications

Wall Applications

Floor Applications

Decorative Applications

Technical Information



CONWOOD

Forwarding Nature-Centric Living

For over a decade, Conwood has been on a continuous, relentless quest to provide the best aesthetically pleasing, luxurious living, ecologically responsible, systematic building solutions as well as decorative materials.

Conwood adjacent products—through patented innovations, creative designs and constant tests and trials—strive to uphold high-level craftsmanship, elevating living standards while inflicting the least harm and disturbance to our environment.

Our pride and joy stem from our patented “flow-on” technology which enables us to generate identical-to-nature textures upon the first touch while the nature-like veneer designs deliver the elusive genuine wood patterns. Through innovations, Conwood products are equipped with fibres, allowing layering techniques and woodwork tools to be used seamlessly. Easily installed and maintained in all weather and terrain conditions, we guarantee the highest level of safety that is also child and pet friendly.

Conwood’s wide-ranging product lines are designed to serve every building and decorative need from private homes, and curated spaces to large-scale constructions.

With Conwood, there's no need to knock on wood.

Eave and Ceiling Applications



With Various Stylish Materials

Conwood provides various styles, that help you elevate your design for every surface both interior and exterior.

Easily installed, transported and cleaned, Conwood covers all essential bases to fulfill your construction and maintenance needs.

- Conwood Eave 2 in 1
- Conwood Ceiling Border
- Conwood Lath




**CONWOOD
EAVE** *Ziml*

Conwood Eave resemble teak wood in appearance, and give rooftops a natural textured wood look while delivering the peace of mind that comes from knowing that your roof is termite-proof. This product is easy to install and extremely durable.

Product	Eave 2 in 1
Color	Natural
Thickness (cm)	1.4
Width (cm)	23.5
Length (cm)	305
Weight (kg/pcs)	12.77


**CONWOOD CEILING
BORDER**

Give your ceiling a beautiful new decorative look with Conwood Ceiling Border. This durable product is perfect for covering up all joints in walls and ceilings, and can seamlessly decorate your ceiling without exposing any gaps.



Product	Ceiling Border
Color	Natural
Thickness (cm)	1.1
Width (cm)	5
Length (cm)	305
Weight (kg/pcs)	2.30





CONWOOD LATH

Decorate your ceiling or walls with easy-to-install Conwood Lath, which comes in a straight or stud style. Conwood Lath is great for interior design work, and can also be used to give a building's exterior some beautiful Conwood accents.




Product	Lath 3" Cut	Lath 4" Cut
Color	Natural	Natural
Thickness (cm)	1.1	1.1
Width (cm)	7.5	10
Length (cm)	305	305
Weight (kg/pcs)	3.45	4.60
Piece (m2)	4.30	3.21

Wall Applications

- Conwood Lap Siding G-Series
- Conwood Lap Siding BG
- Conwood Decorative Panel 1" Stick
- Conwood Decorative Panel ECP
- Conwood Decorative Panel Array
- Conwood Decorative Panel Rhythm
- Conwood Mould

CONWOOD LAP SIDING G-SERIES

Conwood Lap Siding is a versatile, easy to install product that's suitable for both interior and exterior walls. Give your home a modern look, with hints of textured wood that can be used creatively to add a distinguished appearance to any building.



Product	G0	G1	G2	G5
Color	Natural	Natural	Natural	Natural
Thickness (cm)	1.1	1.1	1.1	1.1
Width (cm)	20	20	20	20
Length (cm)	305	305	305	305
Weight (kg/pcs)	9.04	8.88	8.71	8.71
Piece (m2)	1.57	1.57	1.57	7.6



CONWOOD LAP SIDING BG

Reinvent the look of your home with Conwood Lap Siding BG, which comes in a beautifully designed pattern that gives any structure a modern and classic appearance. This product is easy to install and is a great option for decorating walls.



Product	Lap Siding BG
Color	Natural
Thickness (cm)	1.1
Width (cm)	15
Length (cm)	305
Weight (kg/pcs)	6.89
Piece (m2)	2.15




CONWOOD DECORATIVE PANEL 1" STICK

Conwood Plank 1" is an innovative wood substitute that has been developed to work as a decorative solution for both interior design contexts and exterior walls. This sturdy and easy to install product is a great alternative to real wood.

Product	Plank 1"
Color	Natural
Thickness (cm)	2.5
Width (cm)	10
Length (cm)	305
Weight (kg/pcs)	8.22

CONWOOD DECORATIVE PANEL ECP

New alternative of home decoration with CONWOOD DECORATIVE PANEL ECP which focuses on raw material exposure and cement texture. It helps save your time and cost through its light-weight and convenient installation. Suitable to both interior and exterior decoration works.




Product	60 X 60 Series	60 x 120 Series
Color	Natural	Natural
Thickness (cm)	1.1	1.1
Width (cm)	60	60
Length (cm)	60	120
Weight (kg/pcs)	4.9	9.9
Piece (m2)	2.77	1.38





CONWOOD DECORATIVE PANEL ARRAY

- New and Harmonious Design of Grooving Lines
- Unique Beauty and Durability
- Applicable to Interior and Exterior Decorations




Product	Array N	Array W
Color	Natural	Natural
Thickness (cm)	1.1	1.1
Width (cm)	20	20
Length (cm)	150	150
Weight (kg/pcs)	3.8	3.6
Piece (m2)	3.3	3.3

CONWOOD DECORATIVE PANEL RHYTHM

- The Perfect Combination of Grooving Lines and Planes
- Outstanding and Unique Design
- Applicable to Interior and Exterior Walls



Product	Rythm
Color	Natural
Thickness (cm)	1.6
Width (cm)	20
Length (cm)	150
Weight (kg/pcs)	4.9
Piece (m2)	P 150 Series (3.3) / P 305 Series (1.61)





CONWOOD MOULD

Cover up the seams between the walls and floor of your home with Conwood Mould, an elegant solution that prevents dirt from seeping into the base of your walls. This product adds a beautiful decorative accent to your home while effectively covering up the joint between the floor and walls.



Product	Louis	Classic
Color	Natural	Natural
Thickness (cm)	1.1	1.1
Width (cm)	10	10
Length (cm)	305	305
Weight (kg/pcs)	4.37	4.37



Floor Applications

- Conwood Decorative Deck
- Conwood Deck 12"
- Conwood Decorative Stair

CONWOOD DECORATIVE DECK

Install a Conwood Decorative Deck over concrete to give any interior or exterior space the elegant appearance of wood flooring. This beautiful and easy to install product is a great and durable solution that helps keep high moisture areas free from both insects infestation and decay.

Product	Deck 4"	Deck 6"	Deck 8"
Color	Natural	Natural	Natural
Thickness (cm)	1.4 / 2.5	1.4 / 2.5	1.4 / 2.5
Width (cm)	10	15	20
Length (cm)	305	305	305
Weight (kg/pcs)	5.20 / 9.76	8.20 / 14.64	10.93 / 19.52
Piece (m2)	3.22	2.15	1.61



! Installation on concrete slab only
*EPOXY Paint System or Water-based paint
for fiber-cement deck




! Installation on concrete slab and Frame
(span ≤ 30 cm.)
*EPOXY Paint System or Water-based paint
for fiber-cement deck

CONWOOD DECK 12"

Install a strong and durable Conwood Deck to give any space the appearance of real wood flooring. With a fast and easy installation, this environmentally friendly solution is suitable for all conditions.

Product	Deck 12" D1	Deck 12" D2	Deck 12" D3
Color	Natural	Natural	Natural
Thickness (cm)	2.5	2.5	2.5
Width (cm)	30	30	30
Length (cm)	305	305	305
Weight (kg/pcs)	28.75	28.75	28.75
Piece (m2)	1.09	1.09	1.09



CONWOOD DECORATIVE STAIR

Conwood Decorative Stair is a beautiful and affordable substitute for wooden staircases. This product gives any home a clean and modern look, and the material is strong and scratch proof to prevent against wear and tear from usage.



Product	Vertical 8"	Horizontal 12"	Handrail	Bordes
Color	Natural	Natural	Natural	Natural
Thickness (cm)	1.6	2.5	3	2.5
Width (cm)	20	30	8.5	120
Length (cm)	120	120	305	120
Weight (kg/pcs)	4.92	11.31	9.03	45.36

Decorative Applications



- Conwood Sunshade
- Conwood Plank 2"
- Conwood Fence




CONWOOD SUNSHADE

Conwood Sunshade is one innovative way to cover and protect your house from sun rays. The simple lining pattern gives your house elegant minimalist look.

Product	Sunshade
Color	Natural
Thickness (cm)	1.4
Width (cm)	7.5
Length (cm)	305
Weight (kg/pcs)	4.10

CONWOOD PLANK 2"

Conwood Plank 2" is a multipurpose product that can be utilized in a variety of contexts, and it gives anyspace it occupies a modern and classic appearance. This product can be used creatively to provide decorative wood accents in homes and other buildings.




Product	Plank 2"	Plank 2"
Color	Natural	Natural
Thickness (cm)	1.6	2.5
Width (cm)	5	5
Length (cm)	305	305
Weight (kg/pcs)	3.12	4.88



CONWOOD FENCE

Protect your home with a Conwood Fence, a strong and sturdy product that requires much less maintenance than real wood. This easy to install fence provides security for your property while giving your home an elegant and natural boundary.



Product	Botany	Arrow	Standard
Color	Natural	Natural	Natural
Thickness (cm)	1.6	1.6	1.6
Width (cm)	10	10	10
Length (cm)	100 / 150	100 / 150	150
Weight (kg/pcs)	1.99 / 2.98	1.99 / 2.98	3.07




CONWOOD COLOR

CONWOOD COLOR PAINT is a premium water-based paint, specially formulated to fiber cement board. High quality and beautify the Conwood surfaces as beauty as natural wood texture.

Name Product	Type	Color	Final View	Theoretical spreading power	Dry Time	Thickness	% Thinner
Sealer	Solvent Based	Transparent	-	5 m ² /Ltr	± 2 Hours (30°C)	1 Ply	-
Paint	Acrylic Emulsion	Walnut Brown Palisander Brown Akasia	Gloss / Doff	12-13m ² /Ltr (30 Micron) ± 2 hours (30°C)	± 2 Hours (30°C)	Min. 2 Ply	10% Clean Water
Clear Coat	Polyurethane (PU)	Transparent	Semi Gloss	9-10 m ² /Ltr-set (40 micron)	Dry Surface = 30 minutes Press Dry = 5 hours	2 Mix Ply A : B : C = 4 : 1 : 2	Thinner Polyurethane (PU)

COLOR CHOICES

Walnut Brown Palisander Brown Akasia



With Finishing
Semi-Gloss Look


CONWOOD
BEYOND

Color Choices

- Akasia
- Palisander Brown
- Walnut Brown

CONWOOD BEYOND D - LOCK

The appearance of a classy natural wood floor to beautify your building which is equipped with an easier and faster installation system and can hide the screw areas so your floor will look perfect.




Hidden Screw Interlocking System

Product with interlocking design that can hide the screw area on the product installation to give a classy wood floor feel.


Product Type	Color	Thickness (mm)	Width (mm)	Length (mm)	Weight (kg / pcs)	Pcs/m2	Cutting Detail
Conwood Beyond D-Lock D0	Akasia	25	250	3050	24.07	1.33	
Conwood Beyond D-Lock D3	Palisander Brown Walnut Brown	25	250	3050	24.07	1.33	

CONWOOD BEYOND C - LOCK

The appearance of the walls with natural wood nuances is classy with an easier and faster installation system and has been colored with paint that provides perfect and long-lasting color.



Note: The temperature drop depends on various environmental factors. Not the same in every area.



Product Type	Color	Thickness(mm)	Width (mm)	Length (mm)	Weight (kg /pcs)	Pcs/m2	Cutting Details
Conwood Beyond C-Lock G0	Akasia	11	200	3050	9.0	1.66	
Conwood Beyond C-Lock G1	Palisander Brown	11	200	3050	8.9	1.66	
Conwood Beyond C-Lock G2	Walnut Brown	11	200	3050	8.7	1.66	

With Finishing
Doff Look


CONWOOD
BEYOND

Color Choices

- Akasia
- Palisander Brown
- Walnut Brown


TECHNICAL INFORMATION

Handling



Always carry Conwood products vertically by holding both ends of product approximately 50 cm from each edges.

Storage



Store Conwood product in a dry and leveled area. Place hard wood (1.5"x 3" size) every 50 cm. as a floor support. If it's necessary to keep Conwood product outside and cover them with a canvas to protect against rain and dust.

TECHNICAL INFORMATION

Technical Data Sheet

Properties of Product	Standard	Unit	Test Result
Dimensional Tolerance			
Length	ASTM C1185	mm	+/-2.0
Width	ASTM C1185	mm	+/-1.0
Thickness	ASTM C1185	mm	+/-1.0
Density	ASTM C1185	g/cm3	1.2
Moisture Content	ASTM C1185	%	5
Water Absorption	ASTM C1185	%	30
Dimesional Stability	ASTM C1185	%	0.27
Ignitability	BS 476 part 5	-	Pass
Fire Propagation Index	BS 476 part 6	-	I = 0
Surface Spread of Fame	BS 476 part 7	-	Class 1
Fire Resistance	BS 476 part 22	-	30-60 Minutes*
pH - Value	-	pH	9
MOE	ASTM C1185	MPa	5,000 - 8,000
Flexural Strength	ASTM C1185	MPa	11 - 15
Thermal Conductivity	ASTM C177-97	W/m.k	0.184
Thermal Resistance	ASTM C177-97	m2.K/W	0.082

Remark : Fire resistance testing is according to Conwood installation standard

Conditions :

We do not provide guarantee for other applications and usage which do not install according to Conwood installation standard. If you have anyquestion or require more information about installation, you can download "The Conwood Installation Standard" from www.conwood.com or you may reach to our Customer Service Center (021) 28518101.

*All conditions we preserved to change without any advance notice.



PT CONWOOD INDONESIA

Kawasan Industri Jababeka VI, Blok C2/3

Jatireja, Cikarang Timur, Bekasi

Jawa Barat, Indonesia 17530

(021) 2851-8101

